

Message

---

**From:** Johnston, Shelby [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=3E7ED660A4444005A74A05702EF09E0E-JOHNSTON, SHELBY]  
**Sent:** 6/29/2018 1:57:49 PM  
**To:** Smith, Stephen [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=03d8ce93ced5436da4bfc87ee709682a-Smith, Stephen]; Ted Lyon [tblyon@tedlyon.com]  
**CC:** Ajanaku, Abena [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=024e2428b41f4c3eabad0f53be77f934-Ajanaku, Ab]; Marraccini, Davina [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=66fecfe52dc84d8db7ab0859adee8426-Marraccini, Davina]; Hansen, Susan [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=6b2e801253d049bf908314ebf3935472-Hansen, Susan]; Dennis Weitzel [dennis@tedlyon.com]; william@listondeas.com; lawrence@listondeas.com; Marquette Wolf [mwolf@tedlyon.com]; Mandi Murphy [mmurphy@tedlyon.com]  
**Subject:** RE: Second Round of Sampling - Regarding Eastern Heights

Mr. Lyons,

I have included a list below of addresses which EPA would like to access for the July sampling event to begin in the neighborhood on Monday, July 9<sup>th</sup>. This list is for 16 homes. This list is based on the preliminary groundwater results from last week's event and from past sampling results.

98 Lyon Drive  
100 Lyon Drive  
102 Lyon Drive  
103 Lyon Drive  
104 Lyon Drive  
106 Lyon Drive  
108 Lyon Drive  
110 Lyon Drive  
112 Lyon Drive  
212 Lyon Drive  
214 Lyon Drive  
155 Tallahoma Drive  
114 Rockwell Circle  
116 Rockwell Circle  
118 Rockwell Circle  
120 Rockwell Circle

Please let me know who in your group I should coordinate with for scheduling the timeslots for this effort.

Thanks,

Shelby Johnston

---

**From:** Smith, Stephen  
**Sent:** Thursday, June 28, 2018 3:36 PM  
**To:** Ted Lyon <tblyon@tedlyon.com>  
**Cc:** Johnston, Shelby <Johnston.Shelby@epa.gov>; Ajanaku, Abena <ajanaku.abena@epa.gov>; Marraccini, Davina <Marraccini.Davina@epa.gov>; Hansen, Susan <Hansen.Susan@epa.gov>; Dennis Weitzel <dennis@tedlyon.com>; william@listondeas.com; lawrence@listondeas.com; Marquette Wolf <mwolf@tedlyon.com>; Mandi Murphy <mmurphy@tedlyon.com>  
**Subject:** Second Round of Sampling - Regarding Eastern Heights

Ted – Hope you are doing great. I'm officially back in the office and getting caught up on emails and calls over the last few weeks.

As a follow up to your email below, and for purposes of coordinating additional sampling with your office, the EPA plans to conduct another round of sampling in the Eastern Heights community between July 8-14, 2018. The EPA will be sampling outdoor air, indoor air and air under the foundation of several homes located over the TCE-contaminated groundwater plume in the neighborhood.

We are currently preparing a short postcard to residents informing them of this planned sampling, as well as confirming the exact sampling locations and properties which will need to be accessed for the sampling. Once finalized, I will forward you the details. I will also forward you the results from the last round once available.

In an effort to follow the same process from a few weeks ago, can you please confirm who Abena and Shelby should coordinate with for this second round of sampling?

Let me know if you have any questions and we can always schedule a conference call if needed. Thanks and talk soon.

---

Stephen P. Smith  
Associate Regional Counsel  
Office of Regional Counsel  
U.S. Environmental Protection Agency, Region 4  
61 Forsyth Street, S.W.  
Atlanta, Georgia 30303  
Ph: (404) 562-9554  
Fax: (404) 562-9486  
[smith.stephen@epa.gov](mailto:smith.stephen@epa.gov)

---

**From:** Hansen, Susan  
**Sent:** Thursday, June 28, 2018 1:39 PM  
**To:** Smith, Stephen <[Smith.Stephen@epa.gov](mailto:Smith.Stephen@epa.gov)>  
**Subject:** FW: Regarding Eastern Heights Property Testing

---

**From:** Mandi Murphy [<mailto:mmurphy@tedlyon.com>] **On Behalf Of** Ted Lyon  
**Sent:** Tuesday, June 12, 2018 5:49 PM  
**To:** Hansen, Susan <[Hansen.Susan@epa.gov](mailto:Hansen.Susan@epa.gov)>; Johnston, Shelby <[Johnston.Shelby@epa.gov](mailto:Johnston.Shelby@epa.gov)>  
**Cc:** Dennis Weitzel <[dennis@tedlyon.com](mailto:dennis@tedlyon.com)>; [william@listondeas.com](mailto:william@listondeas.com); [lawrence@listondeas.com](mailto:lawrence@listondeas.com); Marquette Wolf <[mwolf@tedlyon.com](mailto:mwolf@tedlyon.com)>; Mandi Murphy <[mmurphy@tedlyon.com](mailto:mmurphy@tedlyon.com)>  
**Subject:** Regarding Eastern Heights Property Testing

Ms. Hansen,

This will confirm that on behalf of our clients, who are homeowners in the Eastern Heights neighborhood in Grenada, MS, we agree to allow your agency to perform testing around and inside of the properties owned by our clients for the existence of dangerous chemicals.

Our office will have a representative present to make sure our clients understand what is going on and to alleviate any concerns they may have. We will also have a representative of the neighborhood there to talk to the residents about what is going on. We would deeply appreciate your office providing our clients the results of the testing as soon as it is available to your agency. As you can understand, they have a great deal of anxiety about the condition of their properties.

We understand that the testing will be conducted under the supervision of Ms. Shelby Johnston or her representative. Please have her contact Marquette Wolf or Dennis Weitzel in my office to coordinate a time to begin the testing, which I understand will commence on Tuesday June 19. One of them can also answer questions regarding access to the properties.

Thank you for your attention to this matter. Please contact me with any questions regarding the above.

Sincerely yours,

Ted B. Lyon



Ted B. Lyon & Associates, P.C.

[tblyon@tedlyon.com](mailto:tblyon@tedlyon.com)

Town East Tower – Suite 525

18601 LBJ Freeway | Mesquite, Texas 75150

Ph: 972.279.6571 | Fax: 972.279.3021

[www.tedlyon.com](http://www.tedlyon.com)